In Celebration of Trees Castlake tree was

Saturday, June 1st, 2013 - 10am-noon

Hosted by the Eastlake Community Council






The Tree Ambassador program empowers residents to become stewards of the urban forest and serve as resources for their local community. The program is a project of the Green Seattle Partnership, a collaboration between the City of Seattle and Forterra and is funded in part by a grant from the U.S. Forest Service's Urban and Community Forestry program. Learn more at: www.seattle.gov/trees/treeambassador.htm.

In Celebration of Trees - Eastlake Tree Walk

Common Name

- 1 Lombardy Poplar
- 2 Weeping Willow
- 3 Weeping Blue Atlas Cedar
- 4 Shore Pine
- 5 Red Maple
- 6 Weeping Crabapple
- 7 Cutleaf Weeping Birch
- 8 Green Ash
- 9 Crabapple
- 10 Zebra Cedar
- 11 Sawara Falsecypress
- 12 Persian Ironwood
- 13 Weeping Giant Redwood
- **14** Royal Burgundy Cherry
- 15 Norway Maple
- 16 Arizona Cypress
- 17 Japanese Maple
- 18 Arborvitae
- 19 Port Orford Cedar
- 20 English Holly
- 21 Katsura Tree
- 22 Weeping Cherry
- 23 European Hornbeam
- 24 Bigleaf Linden
- 25 London Plane Tree
- 26 Western Red Cedar
- 27 Goldenrain Tree
- 28 Goldenchain Tree
- 29 Eastern Dogwood
- 30 Serviceberry
- 31 Japanese Zelkova
- 32 Pin Oak
- 33 Yellow Birch
- 34 Pacific Sunset Maple
- 35 Kousa Dogwood
- 36 Paper Birch
- 37 Ponderosa Pine
- 38 Atlas Cedar
- 39 Copper European Beech
- 40 Norway Spruce
- 41 Colorado Blue Spruce
- 42 Blue Atlas Cedar
- 43 Thornless Cockspur Hawthorn
- 44 Saucer Magnolia
- 45 Weeping Alaska Cedar
- 46 Red Alder
- 47 Flowering Pear
- 48 Lombardy Poplar
- 49 Gray Poplar
- 50 Common Hawthorn
- 51 Kwansan Cherry
- **52** Apple
- 53 Douglas Fir
- 54 Bigleaf Maple
- 55 Deodar Cedar
- 56 California Waxmyrtle

Eastlake Tree Walk Map



Tree ID & Location	n Tree Photo	Branch Detail	<u>Tree Description</u> *
1. Lombardy Poplar Populus nigra 'Italica' Roanoke Street Mini Park			The lone heritage Lombardy Poplar is in this grove of heritage trees, which were dedicated as such in April 2010. It shares the grove with 3 Weeping Willows (see #2 below). Heritage trees are selected based on historic or landmark importance. Poplars are related to Aspens and Cottonwoods. The Lombardy Poplar is characterized by its fast growth and bright yellow leaves in the fall, and is invaluable when used in a group as a windbreak.
2. Weeping Willow Salix babylonica hybrid Roanoke Street Mini Park			Like the Lombardy Popular that shares this heritage grove, these three Weeping Willows are fast growing and weak wooded but are still considered striking by many people. All heritage trees in this grove have fencing to prevent damage by beavers. North America has approximately 90 different types of Willows and many species interbreed. However, the droopiness of these three makes it certain they are in fact Weeping Willows.
3. Weeping Blue Atlas Cedar Cedrus atlantica 'Glauca Pendula' Roanoke Street Mini Park	2. Notings Weeping William Ramada N Mar Purk		Weeping Blue Atlas Cedar is an evergreen known for its graceful flowing nature and beautiful silvery blue-green needles. Generally the trunk of a Weeping Atlas Cedar can be trained as a spiral, grown horizontally or in a more upright form. Depending on its staking, the tree can reach a length of 10-15 ft and a width of 8-10 ft across and would be difficult to transplant once established.
4. Shore Pine Pinus contorta Roanoke Street Mini Park	November and Aller		The native Shore Pine grows in inhospitable, infertile terrain from the northern coasts of California all the way up through the Alaska panhandle. In these hostile environments the tree often grows in a shrubby, distorted manner. In more favorable conditions it can grow straighter to a height of 50 ft, but still tends to maintain an irregular shape. The Shore Pine works well as a grove or a hedge. Needles grow in pairs, and the pine nuts are a favorite with the birds.
5. Red Maple Acer rubrum Roanoke Street Mini Park	S. Rad Majob Sciences St. Mon Fact		The Red Maple, a very adaptable tree, is native throughout eastern North America and noted for its brilliant fall color. There are two red maples in the Roanoke Mini Park.

^{*} Reference material for tree descriptions is drawn from Wikipedia and other public sources.

6. Weeping These Weeping Crabapple trees have deep pink blossoms in the spring and red fruit in the autumn. Crabapple They also have a fragrant scent. These trees are Malus sp. related to the rose and are considered ornamental. South side of E There are 5 Weeping Crabapple trees in this group. Roanoke St 7. Cutleaf As reflected in its "pendula" name, the European birch has a more drooping habit than its American **Weeping Birch** cousin. Birch is almost sacred in Scandinavian Betula pendula countries, which may explain its popularity in 'Crispa' Scandinavian Seattle. These two Cutleaf Weeping 85 E Roanoke St Birches were planted sometime between the 1920s and 1950s by a parent of the couple who owned this house during that period. 8. Green Ash The Green Ash tree is native throughout the eastern US and can begin turning color as early as **Fraxinus** Labor Day. Leaves are pinnately compound with 7pennsylvanica 9 leaflets. This tree tolerates urban conditions very 85 E Roanoke St well, but it is threatened by the Emerald Ash Borer, an insect that was introduced in the 1990's and has already wiped out well over 50 million ash trees. 9. Crabapple Crabapples are popular trees and are closely related to apple trees. They have small, edible Malus sp. fruits, under 2" in diameter. They are fairly drought 2533 Yale Ave E tolerant and are considered a low maintenance type of tree. They are also small to medium-sized trees, making them ideal for smaller residential lots. There are six crabapple trees in this group. 10. Zebra The Zebra Cedar, also known as the Zebrina Western Red Cedar, is an attractive variegated Cedar form of Western Red Cedar; it grows to 50ft. There Thuja plicata are two Zebra Cedar trees at this address. 'Zebrina' 2533 Yale Ave E

Page 2 6/1/2013

11. Sawara Falsecypress Chamaecyparis pisifera 'Filifera' 2523 Yale Av E	13. Savara Fabric Cyprox 2533 Yala Aur E	Sawara Falsecypress grows slowly to about 30 feet in height and 20 ft wide at the base of the tree. It has stringy, cordlike, horizontal to pendulous branches which form a dense, broad pyramid. The very attractive, reddish-brown, smooth, peeling bark is complemented nicely by the medium green foliage. This tree is quite popular in oriental and rock gardens, but can grow to be quite wide, so allow plenty of room for best form and development.
12. Persian Ironwood Parrotia persica 2516 Yale Av E	12. Partian tronwood 2338 Yeln Aus E	Persian Ironwood is a deciduous tree in the family Hamamelidaceae, and related to Witch Hazels. A native to northern Iran, the tree reaches a mature height of 20-40 ft tall with a width of 15-35 ft, with a round or vase shape. The bark is smooth, pinkish-brown flaking to leave colorful patches in a similar manner to Plane trees. Since the tree is on the smaller side it works well to be planted on parking strips where power lines are a consideration. There are two Persian Ironwood trees in this group.
13. Weeping Giant Redwood Sequoiadendro n giganteum 'Pendulum' 2517 Yale Av E		When we think of the Giant Redwood, we tend to picture the towering redwood forests found in Northern California. This species differs slightly as it a 'Pendulum' which refers to plant material that hangs down. It fits well in a compact area as it grows to between 25-45 ft tall but only 3-4 ft wide. It prefers moist, acidic soils, warm summers and cool winters. There are two Weeping Giant Redwood trees at this location.
14. Royal Burgundy Cherry Prunus serrulata 'Royal Burgundy' 2511 Yale Av E		The Royal Burgundy Cherry is a deciduous garden tree that grows to 20 ft in height and 20 ft in width. It bears ascending branches thus forming an oval to rounded crown at maturity. They are good shade trees and live long and are drought tolerant. There are two Royal Burgundy Cherry trees in this group.
15. Norway Maple Acer platanoides 2510 Yale Av E	13. Narrany Magle 2535 Yole And E	The Norway Maple is a species of maple native to Europe. It is a deciduous tree that can grow from 40 to 50 ft to over 90 ft tall and a trunk up to 4 feet in diameter. It is consider an invasive species because it grows quickly and shades out native plants. Planting this Maple species should be avoided.

Page 3 6/1/2013

16. Arizona Cypress Cupressus arizonica 2500 Yale Av E	16. Anionas Caprina 1500 Valo Am E	Arizona Cypress is native to the southwest of North America. It grows to heights of 30-80 ft and its trunk diameter reaches 19 inches. The foliage grows in dense sprays, varying from dull gray-green to bright glaucous blue-green in color. The leaves are scale-like and produced on rounded, not flattened, shoots. The cones remain closed for many years, only opening after the parent tree is killed in a wildfire, thereby allowing the seed to colonize the bare ground exposed by the fire.
17. Japanese Maple Acer palmatum Louisa Arborway	17. Japanes Magle Elizaia Arborway	Japanese Maple is a species of woody plant native to Japan, Korea and China. Many different cultivars of this maple have been selected and they are grown worldwide for their attractive leaf shapes and colors. They are highly sought after and are relatively costly trees given their size. It is a deciduous shrub or small, upright tree reaching heights of 20-30 ft, often growing as an understory plant in shady woodlands. In habit, it is often shaped like a hemisphere.
18. Arborvitae Thuja occidentalis Louisa Arborway		Arborvitae, "Trees of Life", have dense evergreen foliage, and make a great wind and visual screen for home gardens. This genus is comprised of only five species: two are native to North America, and three to eastern Asia. Some members of this genus can live for centuries and are symbols of strength. Arborvitae (<i>Thuja</i> , pronounced Thu-ya) are sometimes called cedars. However, arborvitae are in the Cypress Family (Cupressaceae) while true cedars are in the Pine Family (Pinaceae).
19. Port Orford Cedar Chamaecyparis lawsoniana Louisa Arborway		The Port Orford Cedar is another cypress! It has a limited native range from SW Oregon and NW California. Leaves are glaucous (blue/green/gray) with narrow white markings on the underside in the shape of an "X".
20. English Holly Ilex aquifolia Louisa Arborway	2) Equilibility Links Alburry	English Holly is a problem in Washington State. It is grown commercially, and some people's livelihood depends on it. However, it is classed as a Weed of Concern in King County because of its invasiveness in our natural areas and forests and is recommended for removal in all cases. Trees are male or female and pollinated by bees. You can differentiate young holly by its alternating leaves from our native Oregon Grape with its opposing leaves.

Page 4 6/1/2013

21. Katsura Katsura is the Japanese word for tree. These Katsura Trees are excellent shade trees and grow Tree from 40 to 60 ft tall and 20 to 40 ft wide. They are Cercidiphyllum a deciduous tree and release a strong, spicy japonicum fragrance likened to cotton candy just before they Louisa Café drop their apricot-colored leaves in the autumn. There are 6 Katsura Trees in this grove by the Louisa Café. Weeping Cherry trees are beautiful to behold, with 22. Weeping their long slender branches drooping down, Cherry sometimes to the ground. Many weeping cherry **Prunus** trees have brightly colored pink flowers that look subhirtella spectacular in the springtime. Some will produce Eastlake & Louisa so many flowers that the entire tree will appear as one giant bloom. There are two Weeping Cherry trees at this location. This variety blooms very early in the spring with pale pink flowers. 23. European European Hornbeam, native to Europe and Western Asia, is a medium-size tree reaching Hornbeam heights of 50-80 ft and often has a fluted trunk. Carpinus The bark is smooth and greenish-gray, even in old betulus trees. The leaves are alternate, 1.5-3 inches long, 2366 Eastlake with prominent veins giving a distinctive Ave E corrugated texture, and a serrated margin. Because it stands up well to cutting back and has dense foliage, it has been much used in landscape gardening, mainly as tall hedges and for topiary. 24. Bigleaf Bigleaf Linden is a deciduous tree native to much of Linden Europe. It is frequently planted as an ornamental tree in parks, or as a shade tree or a lawn tree. It is Tilia a narrowly domed tree with a moderate growth platyphyllos rate. They can reach up to 100 ft in height. There Eastlake & Louisa are 21 Bigleaf Linden trees that flank Rodgers Playground on three sides, providing much of the tree canopy that you see around the park. 25. London This row of London Plane trees were planted sometime in the 1950's. It is a deciduous tree that Plane Tree can grow from 66 to 98 ft tall. They are particularly Platanus x tolerant in urban areas. It is a hybrid between the acerifolia Oriental Plane and the American Sycamore. This E Louisa St row of three and two more London Plane trees on inside Rogers the Roanoke side of the park help provide some of playground the shady canopy cover at Rodgers Playground.

Page 5 6/1/2013

26. Western Red Cedar Thuja plicata 219 E Louisa St	28 Status 9	Western Red Cedar is a large to very large tree, ranging up to 210–230 ft tall and 10–13 ft in trunk diameter. <i>Thuja plicata</i> is the cornerstone of Northwest coast Indian culture. It is long-lived, with the oldest verified being 1,460 years old. The Washington Champion is in Olympic National Park and is 159 ft tall with a circumference of 761 inches.
27. Goldenrain Tree Koelreuteria paniculata 219 E Louisa St	27. Golden Rion Tree 221 k Cooks St	The Goldenrain Tree is native to eastern Asia, China and Korea. It is a small to medium-sized deciduous tree growing to 23 ft tall with a broad, domed shaped crown. There are two Goldenrain trees at this location.
28. Goldenchain Tree Laburnum x watereri 221 E Louisa St		The Goldenchain Tree is native to Central and South Europe; flowers are yellow pendulous racemes occurring in late spring. The wood is used to make flutes and recorders and used to be popular for bagpipes. All parts of this tree are poisonous, and care should be taken when using it in public areas.
29. Eastern Dogwood Cornus florida 221 E Louisa St	23 Lister Singarood 223 Lineira St	Various species of <i>Cornus</i> , particularly the flowering dogwood (<i>Cornus florida</i>), are ubiquitous in American gardens and landscaping; however, <i>C. florida</i> is very susceptible to the fungal disease anthracnose. When flowering, they are of rare elegance and beauty. Dogwoods have simple, untoothed leaves with the veins curving distinctively as they approach the leaf margins. Most dogwood species have opposite leaves. Cutting Boards and other fine turnings can be made from this fine grained and beautiful wood.
30. Serviceberry Amelanchier alnifolia Both sides of school path	35. Serviceberry Francis Aus E - School Path	Serviceberry kicks off in spring with beautiful white flowers, which develop into tasty purple berries that attract birds in early summer. You can harvest the berries and use them to make jams, jellies, and pies. The plant's bright green or bluish green leaves turn stunning shades of red and orange in fall, and its silvery bark offers winter appeal. You can grow serviceberry as a large shrub or small tree. It can grow from 6 to 25 ft tall and 4 to 20 ft wide. There are nine Serviceberry trees along this path.

Page 6 6/1/2013

31. Japanese Japanese Zelkova is also known by its more common name of Japanese Elm. Landscape Zelkova architect Richard Haag, who was employed by Zelkova serrata WSDOT to landscape parts of the I-5 right of way, Right side of had many of these planted in 1962 on the east side school path of what is now Colonnade Park. There are five Japanese Zelkova trees along this path. The Pin Oak is a large shade tree, maturing at 32. Pin Oak about 100 ft tall by 40 ft wide when healthy under Quercus urban conditions, but even larger than that in the palustris wild. They display an upright pyramidal growth Left side of habit in youth, becoming upright oval with age. school path Green, glossy leaves borne on relatively smalldiameter branches give way to brilliant red to bronze fall color attracting attention in the landscape. There are three magnificent, large Pin Oak trees in this NE corner of Rogers Playground. 33. Yellow Yellow Birch is named for its characteristic shinygolden, peeling bark. The tiny winged seeds **Birch** germinate in cracks and crevices of rocks; mature Betula trees can appear to spring straight out of boulders. alleghaniensis Scratch a young twig, and smell the wintergreen Right side of fragrance characteristic of this species. Today, school path Yellow Birch is the source of most "birch wood" used for furniture and cabinet-making. Its wood is light, strong, lustrous, and takes stain easily. There are eight Yellow Birches on this path.. 34. Pacific Pacific Sunset Maple is a very attractive small to medium-sized tree and has glossy, dark green, **Sunset Maple** sharply-lobed leaves, which change to a multitude Acer of yellows, oranges and reds in autumn. It is platanoides x known to perform well in trying conditions. Its truncatum flowers in late spring have little ornamental value. 2605 Franklin There are three Pacific Sunset Maples in this Ave E location. 35. Kousa Kousa Dogwood is a handsome small tree which adds year-round beauty. White flowers in May and Dogwood June give a milky way effect; purple and scarlet fall Cornus kousa leaves add intense color. It has a beautiful tree 2605 Franklin form, with horizontal branching, and grows well in Ave E partial shade to full sun. It grows to a height of 15 -25 ft, with a 25 ft spread, and is resistant to the fungal disease anthracnose.

Page 7 6/1/2013

36. Paper Birch Betula papyrifera North side of E Roanoke St	36. Paper Brich. North old of E Russole St.	The Paper Birch, also known as the American White Birch or Canoe Birch, is native to the northern US with an average height of 65 ft. It likes moist, sunny locations. Young trees have red/brown bark which begins to peel as the tree ages. Native Americans had many uses for the bark: canoes, housing, roofing, infant baskets; and it was burned to repel mosquitoes. Sap was used to make medicinal tea. There are three Paper Birches at this location.
37. Ponderosa Pine Pinus ponderosa North side of E Roanoke St	13. Prodema Pine North side of Educade St	The Ponderosa Pine tree is probably known by more names than any other native tree. Some of the other names commonly used are western yellow pine, yellow pine, bull pine, and blackjack pine. It grows 150 to 180 ft tall and 3 to 4 ft in diameter. It has plated cinnamon-red bark on old trees, and rounded cones with prickles on the scales. With needles 5 to 11 inches long this is the longest-needled pine in Washington State. There are two Ponderosa Pines at this location.
38. Atlas Cedar Cedrus atlantica SE Corner Roanoke & Eastlake		Atlas Cedar is a distinctive evergreen with silvery blue to bluish-green needles. Pyramidal in its youth, it becomes massive with horizontal, spreading branches and is quite a sight. The Atlas Cedar lives long and requires a lot of space to develop freely. 2-3 inch male cones form on the lower part of tree, with larger purple female cones developing on top branches. It grows 40-60 ft high with a 30-40 ft spread. There are two Atlas Cedars in this NW corner of Rogers Playground.
39. Copper European Beech Fagus sylvatica 'Purpurea' Middle of Western side of Rogers Playground	38. Copper European Reseth Eastfale Ave E – Rogers Park	European Copper Beech is a large deciduous tree typically growing to 50-60 ft tall with a dense upright oval to rounded spreading crown. Foliage emerges deep purple in spring, fading to purple green in summer, and finally turns a fiery copper in autumn. The fruit or "beechnut" of this species is edible and has a nutty flavor, but can be toxic if eaten in large quantity. It is a favorite of wildlife. There are two European Copper Beeches on the west side of Rogers Playground.
40. Norway Spruce Picea abies Middle of Western side of Rogers Playground	40. Norway Structe Eastfalls flow E - Rogers Park	Norway Spruce needles are green on all sides and quadrangular in cross section. It has the longest cones of any spruce, up to nearly 7 inches. Old Tjikko in Sweden is one of the world's oldest trees at 9,550 years old. That is the age of the root system. The branches layer themselves and keep the tree alive by creating new trunks when needed or the live roots grow new trunks through vegetative cloning. This Norway Spruce is almost hidden between the two European Copper Birches.

Page 8 6/1/2013

41. Colorado Blue Spruce *Picea pungens*NE Corner
Roanoke &
Eastlake





Colorado Blue Spruce is a medium-sized coniferous evergreen tree growing 80-100 ft tall with a trunk diameter of up to 5 ft. The crown is conic in young trees, becoming cylindrical in older trees. The leaves are a dull gray-green to bright glaucous blue, needle-like, with a tip that is viciously sharp. The Colorado Blue Spruce towers above the two Blue Atlas Cedar trees in front of it. (see # 42)

42. Blue Atlas Cedar Cedrus atlantica 'Glauca' NE Corner Roanoke & Eastlake





Blue Atlas Cedar is a large evergreen native to the Atlas mountains of Algeria and Morocco. Identified by its short, silvery-blue needles which spiral around the stems, and the barrel shaped cones it produces, the 'Glauca Group' is one of the most striking in appearance of all the blue conifers. Ideally it needs to be grown in a large open area where it can properly develop its magnificent form and where there is space for it to be admired. There are two Blue Atlas Cedars at this location.

43. Thornless
Cockspur
Hawthorn
Crataegus crusgalli var.
inermus
115-111 E
Roanoke St





Thornless Cockspur Hawthorn is an excellent small tree with a wide spreading plant form, growing to a height of 15 to 18 ft. This tree is drought-resistant and has low water needs. It is also resistant to cedar rust and has no serious pest problems. Foliage is dark green and very glossy, turning bright gold in fall. Fruit are a bright red, ¾ inch pome. They are produced in masses and provide excellent color in late summer and early fall. There are four Thornless Cockspur Hawthorn trees at this site.

44. Saucer Magnolia *Magnolia x soulangiana*111 E Roanoke St





Saucer Magnolia was created as a hybrid in France in 1820 and is a very popular landscape tree because of its beautiful, numerous purple/pink flowers, which bloom before the leaves come out. It is often mistakenly called 'tulip tree'. It usually stays fairly short with a nearly equal width and is easy to grow.

45. Weeping
Alaska Cedar
Chamaecyparis
nootkatensis
'Glauca
Pendula'
109 E Roanoke St





Weeping Alaska Cedar is an evergreen tree up to 150 ft tall, commonly with pendulous branches. It is native to the west coast of North America, from the Kenai Peninsula in Alaska, south to the Klamath Mountains in northernmost California. The Washington Champion is in the Olympic National Park and has a height of 126 ft and circumference of 451 inches.

Page 9 6/1/2013

46. Red Alder Alnus rubra 2532 Yale Ave E		The Red Alder is the largest species of alder in North America, and found from Alaska to California. A russet dye can be made from its bark. It is the wood of choice for smoking salmon, and Native Americans used its bark to treat poison oak, insect bites, skin irritations, and tuberculosis. It is also a favorite host for the tent caterpillar.
47. Flowering Pear Pyrus calleryana 2532 Yale Ave E	47. Flowering Pase 2532 Yale Ann B	The pear is any of several tree and shrub species of genus <i>Pyrus</i> , in the family Rosaceae. It is also the name of the pomaceous fruit of these trees. Several species of pear are valued by humans for their edible fruit, while others are cultivated as ornamental trees such as this one. Its wood is prized for making woodwind instruments. It was introduced into the U.S. in 1909 for agricultural experimentation and has been used for root stock in cultivating pears such as Comice and Bosc.
48. Lombardy Poplar Populus nigra 'Italica' North side of Roanoke St	As sended trays.	Some more interesting facts about the Lombardy Poplar are that the 'Italica' is considered the true Lombardy poplar from Italy; it is adapted to dry, hot climates; it is considered short-lived; it begins to shed branches at age 40 to 50 years old and becomes susceptible to blowing over in high winds.
49. Gray Poplar Populus x canescens North side of Roanoke St		Gray Poplar gets its name from the gray, downy coating on the leaves; most cultivated Gray Poplars are males. Poplars are mentioned in the works of Ovid, Homer, and Shakespeare. Poplars have very aggressive root systems that can invade and damage drainage systems. There are two Gray Poplars at this location on the north side of E Roanoke St.
50. Common Hawthorn Crataegus monogyna North side of E Roanoke St	Notice that of a manufact of a	Crataegus monogyna, known as Common or Singleseed Hawthorn, is a species of Hawthorn native to Europe, northwest Africa and western Asia. The Common Hawthorn is a shrub or small tree 15–45 ft tall, with a dense crown. The bark is dull brown with vertical orange cracks. It is one of the most common species used in traditional herbalism—most specifically used to treat cardiac insufficiency; their fruit, known as haws, is used for jellies, jams, syrups, wine and flavoring for brandy.

Page 10 6/1/2013

51. Kwansan The Kwansan Cherry does not bear fruit, but is planted for its striking beauty. It has beautiful Cherry double-pink blossoms in mid to late spring and Prunus yellow foliage in fall. serrulata 'Kwansan' North side of E Roanoke St Malus, apple, is a genus of about 30-35 species of 52. Apple small deciduous trees or shrubs in the family Malus Rosaceae. Other studies go as far as 55 species North side of E including the domesticated orchard apple. The Roanoke St genus is native to the temperate zone of the Northern Hemisphere. Apple trees are typically 15-40 ft tall at maturity, with a dense twiggy crown. Apple trees are self-sterile, requiring cross pollination by insects to bear fruit. 53. Douglas Fir Douglas firs were placed in the genus Pseudotsuga (meaning "false hemlock") in 1867. The common Pseudotsuga name Douglas Fir honors David Douglas, the menziesii Scottish botanist who first introduced it into Entrance to cultivation at Scone Palace in 1827. Coast Douglas Mallard Cove Firs have attained heights of 390 ft, the tallest yet documented. Quinault Rain Forest on the Olympic Peninsula hosts most of the top ten known largest Douglas firs. 54. Bigleaf Bigleaf Maple is a large deciduous tree in the genus Acer. It can grow up to 115 ft tall, but more Maple commonly reaches 50-65 ft tall. It is native to Acer western North America, mostly near the Pacific macrophyllum coast, from southern Alaska to southern California. North side of E It has the largest leaves of any maple, typically 8-12 Roanoke St inches across, with five deeply incised palmate lobes. The current national champion Bigleaf Maple is located in Marion, Oregon. It is 88 ft tall, has a diameter of 8 ft and a crown spread of 104 ft. 55. Deodar Deodar Cedar is a species of cedar native to the western Himalayas. It is a large evergreen Cedar coniferous tree reaching 130-165 ft tall, with a Cedrus deodora diameter up to 10 ft. It has a conic crown with North side of E level branches and drooping branchlets. The Roanoke St needles are 1-2 inches long, borne singly on long shoots and in dense clusters of 20-30 on short shoots. The female cones are barrel-shaped, 2-5 inches long and 2-4 inches broad, and disintegrate when mature to release the winged seeds.

Page 11 6/1/2013

56. California Waxmyrtle *Myrica californica*North side of E
Roanoke St





California Waxmyrtle, also known as Pacific Waxmyrtle, is a broadleaf evergreen tree native to the Pacific coast from Washington to southern California. The leaves are not aromatic and the berries have too little wax to be used to make candles.

The Eastlake Community Council and its tree promotion efforts: Volunteers welcome and needed.

For their assistance with the June 1, 2013 Eastlake Tree Walk, ECC thanks the Seattle reLeaf Program of Seattle Public Utilities; and Tree Ambassador volunteers Penny Kriese, Debbie Lematta, and Philip Stielstra.

Eastlake is a community in Seattle, Washington that is just east of Lake Union and just west of I-5. Founded in 1971, the Eastlake Community Council is a neighborhood organization whose official purposes include to foster and encourage a sense of community among people who live and work in the neighborhood, and to promote programs and distribute information benefiting the neighborhood.

For information about ECC, including current and past issues of the *Eastlake News*, an electronic version of this *Guide*, and how to help with the Eastlake tree inventory, see the ECC web site at http://eastlakeseattle.org or click here.

It is so easy to take trees for granted! Yet they provide habitat for birds and other creatures, clean air, slope stability, shade, beauty, and noise insulation. Trees grace our public spaces, and can greatly increase the value of private property. Agencies are less likely to remove trees on public property if the neighborhood is aware and organized. Property owners are less likely to remove a tree if they know more about it. Locations lacking trees can be identified for an appropriate addition.

ECC welcomes questions, offers of volunteer time or skill, and suggestions of what more we can do to understand, protect, and promote trees in the neighborhood. Please contact us at info@eastlakeseattle.org or (206) 473-2849.

Page 12 6/1/2013